

Аксессуары и принадлежности

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: hfu@nt-rt.ru || сайт: <https://hunersdorff.nt-rt.ru/>

BIKE FILLER

Fuel transfer system for motorbikes



Article no.	Designation	Colour	for a (mm)	Nozzle external Ø (mm)	Length (mm)	PU (pcs.)
819845	Fuel transfer system		38	21	160	10

Nozzle

- integrated ventilation for liquid transfer without gurgling
- automatic filling stop: No overflow or spillage of the filling material before, during or after fuelling
- reduces the leakage of petrol vapour and protects the environment from contamination
- for all current hünersdorff fuel cans up to 5 L and FuelFriend 1-2 L
- precise positioning of the filling opening with union nuts
- captive screw cap
- with carrying loop for fixing on the can
- Replacement part: Screw cap with retaining strap ET-276100, black, PU (pcs.) 5

Replacement parts

- suitable for fuel cans, combined jerrycans and FuelFriend
- jerrycan is easy to empty
- PREMIUM spouts for petrol and diesel, with union nut and seal
- Spouts suitable for all standard tank openings (petrol and diesel) and for all vehicles with petrol misfuelling protection
- Art. no. 819100 and 819110 suitable for diesel vehicles with misfuelling protection
- Art. no. 819500 rigid, ventilated tube with black union nut for fuelling e.g. construction machinery, tractors, motorbikes, standby sets

Spouts

for standard tank openings and misfuelling protection systems



Fig. no.	Article no.	Designation	Colour	for a (mm)	Nozzle external Ø (mm)	Length (mm)	PU (pcs.)
1	819100	STANDARD Diesel		38	22	265	5
2	819110	PREMIUM Diesel					
3	819500	RIGID large opening		65	31	220	3
4	819600	STANDARD large opening				290	
5	819700	STANDARD Petrol		38	19	265	5
6	819701						
7	819702						
8	819710	PREMIUM Petrol					

Replacement parts

- Child-safe screw caps for PREMIUM, PROFI and STANDARD fuel cans and PROFI combined jerrycans
- ECO screw cap for COMPACT fuel cans
- CLASSIC screw caps for CLASSIC fuel cans, FuelFriend and ECO combined jerrycans
- Nozzle-spout designed for art. no 815220, 810200

Screw caps

in various versions



Fig. no.	Article no.	Designation	Colour	for a (mm)	PU (pcs.)
1	ET-230400	Small screw cap		24	5
2	ET-230702	Sleeve screw cap			
3	ET-231320	Child safety screw cap		38	
	ET-231330				
4	ET-231620	ECO screw cap			
5	ET-231503	CLASSIC screw cap			
	ET-231505				
6	ET-232800	Screw cap		65	
7	ET-281302	Spout		24	

QUICK direct fuelling system and suction pump




Fig. no.	Article no.	Designation	Colour	for a (mm)	Length (mm)	Run-out speed L/min	PU (pcs.)
1	546000	Suction pump	White		1,450	4	5
2	810000	QUICK direct fuelling system	Black/White	38			10

Fuelling and transfer systems

QUICK direct fuelling system:

- ideal for direct supply of fuel to engines and generators, saves additional refilling
- 2-step, free hose fittings suitable for hoses with 6 and 8 mm inside diameters
- suitable for all hünorsdorff fuel jerrycans 1 L - 20 L made of plastic

Suction pump:

- for refilling and drawing off different media
- food-safe, resistant to acid, chemicals and petrol
- consists of suction pump (LD-PE), shut-off valve (HD-PE) and hose (PVC)

Accessories for fuel can made of metal

Spouts, jerrycan holders, suction system and spare seals for spouts and jerrycans



- Art. no. 434802 and 434804 for diesel vehicles with misfuelling protection
- the holding clip of the metal can holder can be secured with a split pin or with a padlock to protect the can against falling out or theft
- Suction system for metal jerrycans 20 L for direct supply of fuel to generators and engines
- if needed, shorten the suction pipe to the required length for use with 5 L or 10 L metal cans
- Hazardous goods labels (306100) available separately

Fig. no.	for	Article no.	Designation	Colour	Nozzle external Ø (mm)	Length (mm)	PU (pcs.)	
1	CLASSIC and EXPLO-SAFE	434800	Spout (rigid)		21	195	5	
2		434801	Spout (flexible)					
3		435300			20	380		
4		435400				310		
5		434802	Diesel spout (flexible)		25	380		
6		435800	Suction system		6 or 8	460	10	
7		411100	Replacement seal, oval for spouts and suction system					
8		411200	Spare seal, oval, for jerrycans					10
9		435700	Locking pin					10
10	PREMIUM	434803	Spout (flexible) with screw cap		20	320	5	
11		434804	Diesel spout (flexible) with screw cap		25	320		



Article no.	Designation	Colour	Dimensions D x W x H (mm)	Weight (g)	PU (pcs.)
435500	Jerrycan holder for 20 L		174 x 364 x 485	2,917	5
435600	Jerrycan holder for 10 L		174 x 364 x 292	2,190	

Plastic funnels

red, made of fracture-proof polyethylene

- very resistant to acids, alkalis and other chemicals
- with eye hook or handle
- Venting ribs at the funnel end (art. no. 950201-951201 and 954600)
- Art. no. 951101, 951201, 953500, 955200 and 956200 with overflow rim (splash guard) and extra-fine sieve insert made of stainless steel (interchangeable)
- Art. no. 951500 4-part set
- Art. no. 951600 3-part set
- Art. no. 953500 with LDPE flexible tube, length 460 mm
- Replacement parts: Sieve inserts (Art. no. 958100 and 958200)



Article no.	Designation	Pictograms	w (mm)	e (mm)	Total height (mm)	Capacity (L)	Sieve insert s (mm)	PU (pcs.)
950201	Funnels with eyelet		60	8	80	0.036	without	12
950301			80	11	105	0.08		
950401			100	12	126	0.17		
950501			120	15	145	0.29		
950601			140	15	167	0.5	50	10
950701			164	17	198	0.79		
951101			168	17	199	1		
951201			208	20	218	2		
953500	Universal funnel with eyelet and hose		210	19	159	2	50	12
954600	Oval funnel with eyelet		116x172	18.5	185	0.66		
955200	Universal funnel with handle		205	23	322	2.5	80	5
956200	Angle funnel oval with handle		175 x 150	24		1.5	50	4



Article no.	Designation	PU (pcs.)	Set consists of art. no.
951500	Funnel set	10	950201, 950301, 950401, 950501
951600			950601, 950701, 951201

Funnel made of tin plate

silver, with sieve insert and detachable spout



Article no.	Designation	w (mm)	e (mm)	Sieve inserts (mm)	Length (mm)	Capacity (L)	Material	PU (pcs.)
490020	Universal funnel	160	22	65		1.3	Tin plate/ HD-PE	6
490021	Spout (flexible)	40	18		300			

- resistant to fuels, oils, alkalis, diluted acids
- with overflow rim (anti-splash) and fine-sieve insert made of brass (easy to clean, replaceable) with 0.5 mm mesh-width
- Funnel with rigid spout made of plastic and flexible, detachable metal/plastic spout each with air groove
- with ergonomic handle

Graduated oil cans made of plastic

made of acid- and chemical-resistant polypropylene/polyethylene



Article no.	Volume (L)	Colour	Dimensions d x h / D x W x H (mm)	Material	PU (pcs.)
932500	0.5		97 x 157	PP	15
932600	1		101 x 237		
932700	2		130 x 295		10
933800	3		135 x 307		4
933900	5		135 x 300 x 380	HD-PE	

Graduated oil cans

- With embossed scale
- Stable, safe handling
- Overflow protection by ergonomically shaped spout
- separate accessories: Art. no. 934000 flexible tube as extension (except for art. no. 933900), black, LDPE, length 307 mm, PU (pcs.) 10

Safety nozzles

for fuels and chain oil For PROFI and ECO combined jerrycans.



Article no.	Designation	Colour	for a (mm)	Nozzle external Ø (mm)	Length (mm)	PU (pcs.)
819800	for fuels		38	21	160	10
819811	for fuels					50
819801	for chain oil					10
819851	for chain oil					50

Filling systems

- integrated ventilation for liquid transfer without gurgling
- automatic filling stop: No overflow or spillage of the filling material before, during or after fuelling
- reduces the leakage of petrol vapour and protects the environment from contamination
- for all current hünersdorff combined jerrycans, fuel cans up to 5 L and FuelFriend 1-2 L
- precise positioning of the filling opening with union nuts
- captive screw cap
- with carrying loop for fixing on the can
- SS packaging PU 10 pcs. or 50 pcs. available in bulk
- Replacement part: Screw cap with retaining strap ET-276100, black, PU (pcs.) 5

Accessories

- Space e.g. for two safety nozzles, spark plug wrenches, chain files and carburettor screwdrivers
- with hook and loop fasteners for reliable protection from falling
- made of Nylon
- dirt resistant - washable - tearproof
- Item sold without fittings

Saddlebag for PROFI

black, ideal accessory for holding tools and safety nozzles



Article no.	Designation	for PROFI	Weight (g)	PU (pcs.)
795900	Saddlebag, small	3+1.5 L	275	10
796000	Saddlebag, large	6+3 L	290	

Accessories and replacement parts


- also suitable for fuel cans and FuelFriend
- rigid spout with screw cap:
 - precise positioning of the filling opening with union nuts
 - captive screw cap
 - with carrying loop for fixing on the can
- Screw cap ET-231506 for ECO combined jerrycan
- separate accessories and replacement parts available e.g. spouts, child safety screw cap ET-231320 for PROFI combined jerrycan

Screw cap and spout



Article no.	Designation	Colour	for a (mm)	Nozzle external Ø (mm)	Length (mm)	PU (pcs.)
819901	Spout with screw cap	■	38	21	130	5
ET-231506	CLASSIC screw cap					

Wall rails and metal slotted wall



Accessories

- Easy, fast mounting
- Plastic rail for normal, metal rail suitable for extra high loads
- Metal rail and slotted wall made of galvanised sheet steel
- Metal slotted wall:
 - with 12 mounting points for easy and stable wall mounting
 - suitable for storage bins PP size. 1 to 4
 - Equipped with up to 24 storage bins PP (size 1, 2 + 2/L)



Fig. no.	Article no.	Designation	for size	Colour	Dimensions D x W x H (mm)	Length (mm)	PU (pcs.)
1	374000	Plastic rail	1+2+2/L+3	■		500	5
	374100	Metal rail	1+2+2/L+3+3/L	■		970	3
	374200					420	10
2	375000	Metal slotted wall	1-4		15 x 630 x 380		5

Accessories

- Rails made of galvanised sheet steel
- Labels for identification of items, pocket-size, with additional protective film (1 PU = 25 labels)

Metal wall rails and labels



Article no.	Designation	for storage bins	Colour	Dimensions D x W x H (mm)	PU (pcs.)
425100	Metal wall rails	9 x size 1		25 x 950 x 54	3
425200		9 x size 2		25 x 950 x 80	
425300		6 x size 3		25 x 950 x 132	
425400		4 x size 4		30 x 950 x 157	
657200	Labels	Size 1		53 x 12	1
657300		Size 2		55 x 16	
657400		Size 3, 4, 5		79 x 29	

Dividers, labels and pull-out stop



Accessories

- Dividers with integrated label holders
- Paper labels:
 - 120 labels (art. no. 780300)
 - 60 labels (art. no. 780400)
 - each with 10 printable DIN A4 sheets (190 g/m²)
- Pull-out stop for narrow and wide shelf bins

Article no.	Designation	Colour	Design	Material	PU (pcs.)
780100	Dividers	//	narrow	SAN	10
780200	Dividers		wide		
780300	Labels		narrow	Paper	1
780400	Labels		wide		
780500	Pull-out stop		narrow/wide	ABS	10

Part box

with transparent hinged lid



Article no.	Volume (L)	Colour	Dimensions D x W x H (mm)	PU (pcs.)
687500	2,5	■	232 x 146 x 158	4

- ### Part box
- dust-free and visible storage of the contents with a nominal volume of 2.5 L (filling volume 3.7 L)
 - Boxes are stackable and can be joined at the sides thanks to enclosed couplings
 - well suited for presentation of goods in sales rooms
 - fracture-proof and dimensionally stable
 - resistant to greases, resins, alkalis, oils and acids
 - Bottom made of polypropylene, red
 - Lid housing made of fracture-proof SAN

Accessories



1



2

Fig. no.	Article no.	Designation	Length (mm)	Hook Ø (mm)	PU (pcs.)
1	784010	Single hook	38	4.5	1
	784011		75		
	784012		100		
	784013		150		
	784014		200		
2	784031	Slanted hook for nuts and sockets	35		

Accessories



1



2



3

Fig. no.	Article no.	Designation	Ø (mm)	PU (pcs.)
1	784026	Tool clips for screwdrivers	6	1
	784027		10	
	784028		14	
	784029		19	
	784030		25	
2	784032	Round hook	40	
	784033		60	
3	784034		40	
	784035		60	
	784036		80	



1



2



3

Fig. no.	Article no.	Designation	Length (mm)	Hook Ø (mm)	Inside hook spacing (mm)	PU (pcs.)	
1	784015	Double hook	38	4.5	9.5	1	
	784016				16.5		
	784017				23.5		
2	784018		75		9.5		
	784019				16.5		
	784020				23.5		
	784021				100		23.5
	784022				200		23.5
3	784023	Pliers holder	45		9.5 / 27.5		
	784024			16.5 / 34.5			
	784025			23.5 / 41.5			

Accessories



Article no.	Designation	Length (mm)	Width (mm)	PU (pcs.)
784037	Tool holder for self service packs	150	21	1
784038			28	
784039			35	
784040		200	35	
784041		300	35	



1




2


Fig. no.	Article no.	Designation	Width (mm)	various Ø 3-14 mm	PU (pcs.)
1	784042	Bit / Allen key holder	240	for 32 parts	1
	784043			for 64 parts	
2	784044	Wrench holder		for 32 parts	



1



2



3

Fig. no.	Article no.	Designation	Dimensions D x W (mm)	total	PU (pcs.)
1	784045	File/socket holder	165 x 96	for 8 parts	1
2	784046	Saw holder (pair)		for 4 saws	
3	784047	Wrench holder (pair)		for 8 parts	

Accessories



1



2




3

Fig. no.	Article no.	Designation	Dimensions D x W x H (mm)	PU (pcs.)
1	784048	Tray	120 x 350 x 10	1
2	784049	Plastic box for small items	100 x 95 x 30	
3	784004	Rail for storage bins made of sturdy sheet steel	18 x 500 x 45	

Accessory sets

recommended combination for everyday use



Article no.	Designation	consisting of	PU (pcs.)
784005	31-part set	5 x pliers holders 45 mm long 10 x single hooks 38 mm long 5 x single hooks 75 mm long 1 x file and socket holder for 8 items 1 x wrench holder for 32 parts 1 x pair saw holders for 4 saws 2 x round hooks Ø 60 mm 3 x tool clips Ø 14 mm 2 x tool clips Ø 19 mm 1 x tray 350 x 120 mm	1
784006	18-part set	2 x pliers holder 45 mm long 2 x double hooks 38 mm long 2 x double hooks 75 mm long 4 x angle hooks 38 mm long 3 x angle hooks 75 mm long 2 x angle hooks 100 mm long 3 x angle hooks 150 mm long	

Aluminium boxes accessories

■ Set of wheels

- with two large plastic carrying wheels for convenient and safe transportation, even with heavy loads
- only two 8.5 mm wide holes must be drilled for assembly



■ Cylinder lock set

- consisting of two locks and two keys
- easy assembly



Article no.	Designation	for aluminium boxes	PU (pcs.)
454002	Set of wheels	PROFI	1
456400	Cylinder lock set	PROFI / ECO / OFFICE	



Article no.	Designation	Colour	for a (mm)	Sieve insert s (mm)	Wire thickness (mm)	Mesh width (mm)	Material	PU (pcs.)
ET-373200	Sieve insert/oil filter			70	0.16	0.42	Stainless steel	10
ET-230902	Small screw cap		24				PE	5
ET-232200	Large screw cap		96					

Valves, corner valves, screw caps, sleeves and seals



Fig. no.	Article no.	Designation	Colour	for a (mm)	Material	PU (pcs.)
1	ET-232400	Wide-mouth screw cap		105	HDPE	2
2	ET-230600	Sleeve screw cap		24		5
3	ET-281200	Spout				
4	ET-818000	Wide-mouth plug set		22	PE/NBR	10
5	ET-331100	Seal for wide-mouth screw cap			NBR	

Accessories and replacement parts

- separate accessories:
 - Spigots (art. no. 550100, 560100)
 - Corner valves (art. no. 520100, 520700)
 - R 1/2" thread adapter (art. no. 525400) for fastening hose couplings and other fittings
- Plug set consisting of screw caps and 2 seals
- Wide-mouth screw cap including seal

Accessories and replacement parts

- separate accessories:
 - Spigot (art. no. 560100)
 - Corner valves (art. no. 520100, 520700)
 - R 1/2" thread adapter (art. no. 525400) for fastening hose couplings and other fittings
- Replacement parts: Spigot (art. no. 550100) and plug set
- Plug set consisting of screw cap and seal
- Rigid, ventilated spout (art. no. 819510) with blue screw cap, nozzle outside Ø 31 mm and 220 mm long

Valves, corner valves, spout, screw cap and seal



Fig. no.	Article no.	Designation	Colour	for a (mm)	Material	PU (pcs.)
1	819510	Spout	■	65	HDPE	3
2	ET-232802	Screw cap				5
3	ET-816000	Water jerrycan plug set		22	PE/silicone	10

Spigot, spouts and screw cap



Fig. no.	Article no.	Designation	Colour	for a (mm)	Nozzle external Ø (mm)	Length (mm)	Material	PU (pcs.)
1	ET-231610	ECO screw cap		38			HDPE	5
2	818900	rigid spout			24	260		3
3	819704	flexible spout			19	265	HDPE/LDPE	5
4	550300	PROFI spout						

Accessories and replacement parts

- separate accessories:
PROFI spout with screw cap S38
 - pressure resistance up to 0.4 bar
 - with integrated ventilation to guarantee quick liquid transfer without gurgling
 - Run-out speed > 3.5 L/min
- flexible spout with bellows

Valves, corner valves, handles, screw cap and seals



Fig. no.	Art. no.	Designation	Colour	for carboy (L)	Material	PU (pcs.)
1	ET-320600	Handle with PE tube		5, 10, 25	Metal	10
2	ET-319200	Carrying handle with bolt		60	HD-PE	
3	ET-232100	Screw cap		5 - 60	PE	5
4	ET-823000	Carboy plug set	-			10

Accessories and replacement parts

- separate accessories:
 - Spigots (art. no. 550100, 560100)
 - Corner valves (art. no. 520100, 520700)
 - R 1/2" thread adapter (art. no. 525400) for fastening hose couplings and other fittings
- Replacement part:
 - Plug set consisting of screw cap and 2 seals

Corner valves and spigots

- in PROFI and ECO design
- made of fracture-proof polyethylene with sleeve connection for a hose
- very resistant to acids, alkalis and other chemicals
- Wide thread suitable for wide-mouth jerrycans, carboys and PROFI water cans
- Corner valves allow for extra-precise dosing
- Spout PROFI
 - quick liquid transfer without gurgling thanks to integrated ventilation
 - rotatable through 360° in any position desired

for controlled emptying of liquid from barrels and jerrycans



for threads	Corner valve angled	Corner valve straight	Angular spout	PROFI spout	ECO spout
Pictograms					
R 3/4"	-	-	-	550000 	560000
Wide thread 22 mm	520700 	520100 	-	550100 	560100
R 1/2"+R 3/4"	-	-	-	550200 	-
R 1/2"	520800 	520300 	523800 	-	-
Sleeve outside Ø in inches (mm)	1/2" (13)		1/2" (13)	3/4" (19)	3/4" (19)
Run-out speed in L/min	> 1.5	> 3.0	> 3.0	> 3.5	> 1.5
max. pressure resistance bar	1.5		1.5	0.4	0.4
Ventilation	without		without	with	without
Material	HDPE/LDPE		HDPE	HDPE/LDPE	LDPE
Sealing screw cap	without		without	PE foam (550000 only)	PE foam (560000 only)
PU (pcs.)	5				

Spigots with DIN screw cap

for controlled emptying of liquids from industrial jerrycans



- in PROFIL and ECO design
- made of fracture-proof polyethylene with sleeve connection for a hose
- very resistant to acids, alkalis and other chemicals
- with red DIN screw cap
- Spout PROFIL
 - quick liquid transfer without gurgling thanks to integrated ventilation
 - with red knob
 - rotatable through 360° in any position desired
- ECO drain valves specially designed for jerrycans with additional ventilation opening
- DIN 45 suitable for industrial jerrycans (art. no. 426201 and 426301)
- DIN 60/61 suitable for industrial jerrycans (art. no. 426401 and 426501)

for screw cap in line with	1) PROFIL	2) ECO
DIN 45	550600	560200
DIN 50	550400	560300
DIN 51	550700	560400
DIN 60/61	550500	560500
DIN 71	550800	560600
Colour		
Sleeve outside Ø in inches (mm)	3/4" (19)	
Run-out speed L/min	> 3.5	> 1.5
max. pressure resistance bar	0.4	
Ventilation	with	without
Material	HDPE / LDPE	
Sealing screw cap	PE foam	
PU (pcs.)	5	

Funnels

natural-coloured, made of fracture-proof polyethylene



Article no.	Designation	Pictograms	w (mm)	e (mm)	Total height (mm)	Capacity (L)	Sieve insert s (mm)	PU (pcs.)
950100	Funnels		50	3	57	0.018	without	12
950200	Funnels with eyelet		60	8	80	0.036		
950300			80	11	105	0.08		
950400			100	12	126	0.17		
950500			120		145	0.29		
950600			140	15	167	0.5		
950700			164	17	198	0.79		
951100	Universal funnel with handle		168	17	199	1	50	10
951200			208	20	218	2	80	6
954100			260	20	372	6.1		7
954200			350	32	441	12		
954500	Oval funnel with eyelet		116x172	18.5	185	0.66	50	12



Article no.	Designation	Pictograms	Colour	w (mm)	e (mm)	Total height (mm)	Capacity (L)	Sieve insert s (mm)	Length (mm)	Material	PU (pcs.)
953100	Funnels			253	50	190	3.5	105		HDPE	10
953300	Pipe nozzles			50	21	170				HDPE	
957200	Flexible tube with connector piece			50	20				530	HDPE/LDPE	



Article no.	Designation	Colour	s (mm)	Wire thickness (mm)	Mesh width (mm)	Material	PU (pcs.)
958100	Replacement sieve insert		50	0.16	0.42	Stainless steel	10
958200	Replacement sieve insert		80				
958300	Replacement sieve insert		105				

- very resistant to acids, alkalis and other chemicals
- with eye hook or handle
- Venting ribs at the funnel end (art. no. 950200-954500)
- Art. no. 951100, 951200, 953100, 954100 and 954200 with overflow rim (splash guard) and extra-fine sieve insert made of stainless steel (interchangeable)
- Replacement parts: Sieve inserts (art. no. 958100, 958200, 958300)
- separate accessories for drum funnel: Pipe nozzle and flexible tube

Scoops

- very resistant to acids, alkalis and other chemicals
- dishwasher safe
- on request: Print, labelling and individual colours possible

natural-coloured, especially sturdy, made of fracture-proof polyethylene



Article no.	Volume (ml)	Length L (mm)	Weight (g)	PU (pcs.)
920400	110	187	16	12
920600	230	250	37	
920700	470	310	58	6
920800	725	350	86	3
920900	1,390	400	154	

Fittings

- natural-coloured, with sleeve and / or thread connection
- made of fracture-proof polyethylene
- very resistant to acids, alkalis and other chemicals
- Art. no. 523200 with seal made of LDPE

Straight spouts with locking function

for connecting hoses or containers



			Sleeve outside Ø		(Tube) thread outside Ø			
Article no.	Designation	Connections	Side 1 in inches (mm)	Side 2 in inches (mm)	Side 1 in inches	Side 2 in inches	Material	PU (pcs.)
522100	Straight spout	sleeve on both sides	3/8" (10)	3/8" (10)	-	-	LDPE	5
522200			1/2" (13)	1/2" (13)				
522300			3/4" (19)	3/4" (19)				
528700		Sleeve & thread	1/2" (13)	-	R 1/2"			
528100		thread on both sides	-			R 1/2"		
523200						R 3/4"		
522400	Reduction straight spout	sleeve on both sides	1/2" (13)	3/8" (10)	-	-		
522500			3/4" (19)	3/8" (10)				
522600				1/2" (13)				
528800		Sleeve & thread	3/8" (10)	-	R 1/2"			
528600			3/4" (19)					


Fittings

- natural-coloured, made of fracture-proof polyethylene
- available in various sizes as T, L, Y, reduction and straight connector
- very resistant to acids, alkalis and other chemicals


Nipple for pipes

with sleeve connections for hoses



Shape	Ø in mm	4	6	8	10	13	19	16	25
	Inches	1/8"	1/4"	5/16"	3/8"	1/2"	3/4"	5/8"	1"
	D	536800	536900	537000	537100	537200	537400	537300	-
	l (mm)	39	56	61	74	79	89	84	-
	L	538700	538800	538900	539000	539200	539300	-	-
	l (mm)	23	32	36	38	40	44	-	-
	Y	535000	535100	535200	535300	535400	-	-	-
	l (mm)	30	44	48	49	59	-	-	-
	Straight	535800	535900	536000	536100	536200	536300	-	536400
	l (mm)	36	53	58	65	74	74	-	84
	Reduction 3/4" - 1/2"	-			-	536500		-	
	l (mm)	-			-	74		-	
	Reduction 1/2" - 3/8"	-			536600			-	
	l (mm)	-			66			-	
	PU (pcs.)	25			10				






Designation	Pictograms	AF (mm)	R 1"	R 3/4"	R 1/2"	R 3/8"	PU (pcs.)
Wide thread adapter for R 1/2" inner thread		27	-	-	525400	-	10
Shoulder nipple		27		-	543300	-	
		32		543400	-	-	
Hexagonal nuts		22		-	-	527100	
		27		-	527300	-	
		36		527400	-	-	
		46	527500	-	-	-	

Hose couplings

for connecting hoses to containers



Designation	Pictograms	Sleeve Ø in mm	R 1"	R 3/4"	R 1/2"	R 3/8"	PU (pcs.)	
Hose coupling with outside thread		10	-	-	531100	-	10	
		13		531300	531200			
		16		531400	-			
		19	531600	-	532100			
Hose coupling with union nut		10	-	-	532300			-
		13		532400				
		16		532600	-			
		19	-	540400				
Angled hose coupling with union nuts (with rubber seal except 540100)		10	-	540100	-			
		13		540200				
		19		540300				
Union nuts		-	530600	530300	530100			
Hose coupling with outside thread and hexagon		13	-	-	-	541300		
		19			541400	-		
		25		541500	-			

- natural-coloured, made of fracture-proof polyethylene
- very resistant to acids, alkalis and other chemicals
- Angle hose couplings
 - with rubber seal (except art. no. 540100)
 - Art. no. 540200 with union nut made of POM e.g. for washing machines
- Wide-thread (22 mm) adapter to R 1/2" inner thread (art. no. 525400) for inch connections to hünersdorff jerrycans with wide thread connection

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: hfu@nt-rt.ru || сайт: <https://hunersdorff.nt-rt.ru/>