

Канистры с широким горлом

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: hfu@nt-rt.ru || сайт: <https://hunersdorff.nt-rt.ru/>

Wide-mouth jerrycan 22 L, HD-PE

natural-coloured, with UV protection



Description:

Wide-mouth jerrycans 22 litres, natural-coloured, made of fracture-proof polyethylene (HD-PE) professional design for versatile implementation.

- very large opening (88 mm diameter) allows easy filling, emptying and cleaning
- undetachable, sealable wide-mouth screw cap
- useful as settling bottle
- with gripping surface on the base for secure handling
- resistant to greases, resins, alkalis, oils and acids
- UV protection for long life
- opening sealed with screw plug for screwing in spigots and corner valves (wide thread 22 mm)
- on request: Custom-made product without screw plug opening, print, labelling, individual scales and colours possible
- food-safe, resistant to temperature: -20°C to +70°C and free from bisphenol A (BPA)
- w = inside diameter of filling opening = 88 mm / a = outside thread diameter = 105 mm
- d=depth=180 mm w=width=370 mm h=height=475 mm

Information:

Article

Articlenumber	818200	Colour	natural
GTIN	4007228700749	Volume in l	22
Customs tariff	39233090	Weight (kg)	1,39
Packaging Unit (PU)	3	T x B x H (mm)	180 x 370 x 475

Outer packaging

Content in pieces	3	Gross weight unit (kg)	4,77
L x B x H (mm)	530 x 395 x 545	EAN Verpackungseinheit	4007228151794

Pallet

Number of boxes	16	Carton per layer	4
Number of layers	4	Gross Weight Palette (kg)	96,32
L x B x H (m)	1,20 x 0,80 x 2,33	Artikel pro Palette	48

Wide-mouth jerrycan 31 L, HD-PE

natural-coloured, with UV protection



Description:

Wide-mouth jerrycans 31 litres, natural-coloured, made of fracture-proof polyethylene (HD-PE) professional design for versatile implementation.

- very large opening (88 mm diameter) allows easy filling, emptying and cleaning
- undetachable, sealable wide-mouth screw cap
- useful as settling bottle
- with gripping surface on the base for secure handling
- resistant to greases, resins, alkalis, oils and acids
- UV protection for long life
- opening sealed with screw plug for screwing in spigots and corner valves (wide thread 22 mm)
- on request: Custom-made product without screw plug opening, print, labelling, individual scales and colours possible
- food-safe, resistant to temperature: -20°C to +70°C and free from bisphenol A (BPA)
- w = inside diameter of filling opening = 88 mm / a = outside thread diameter = 105 mm
- d=depth=252 mm w=width=365 mm h=height=482 mm

Information:

Article

Articlenumber	818300	Colour	natural
GTIN	4007228703405	Volume in l	31
Customs tariff	39233090	Weight (kg)	1,50
Packaging Unit (PU)	2	T x B x H (mm)	252 x 365 x 482

Outer packaging

Content in pieces	2	Gross weight unit (kg)	3,60
L x B x H (mm)	530 x 395 x 545	EAN Verpackungseinheit	4007228300703

Pallet

Number of boxes	16	Carton per layer	4
Number of layers	4	Gross Weight Palette (kg)	77,60
L x B x H (m)	1,20 x 0,80 x 2,33	Artikel pro Palette	32

Wide-mouth jerrycan 6 L, HD-PE natural-coloured, with UV protection



Description:

Wide-mouth canister 6 litres, natural colour made of unbreakable polyethylene (HD-PE), professional design for a wide range of applications (successor article of item no. 817100 with new dim

- very large opening (88 mm diameter) allows easy filling, emptying and cleaning
- undetachable, sealable wide-mouth screw cap
- useful as settling bottle
- with gripping surface on the base for secure handling
- with additional, small spout (diameter 18 mm) and spout nozzle
- resistant to greases, resins, alkalis, oils and acids
- UV protection for long life
- opening sealed with screw plug for screwing in spigots and corner valves (wide thread 22 mm)
- on request: Custom-made product without screw plug opening, print, labelling, individual scales and colours possible
- food-safe, resistant to temperature: -20°C to +70°C and free from bisphenol A (BPA)
- w = inside diameter of filling opening = 88 (18) mm / a = outside thread diameter = 105 (24) mm
- t = depth = 132 mm b = width = 264 mm (277 mm with lid) h = height = 287 mm (296 mm with lid)
- Nachfolge-Artikel von Art.-Nr. 817100 mit neuen Abmessungen

Information:

Article

Articlenumber	817110	Colour	natural
GTIN	4007228817119	Volume in l	6
Customs tariff	39233090	Weight (kg)	0,62
Packaging Unit (PU)	6	T x B x H (mm)	132 x 277 x 296

Outer packaging

Content in pieces	6	Gross weight unit (kg)	4,22
L x B x H (mm)	800 x 290 x 394	EAN Verpackungseinheit	4007228225730

Pallet

Number of boxes	20	Carton per layer	4
Number of layers	5	Gross Weight Palette (kg)	104,40
L x B x H (m)	1,20 x 0,80 x 2,12	Artikel pro Palette	120

Wide-mouth jerrycan 11 L, HD-PE

natural-coloured, with UV protection



Description:

Wide-mouth jerrycans 11 litres, natural-colour, made of unbreakable polyethylene (HD-PE) professional design for versatile implementation

- very large opening (88 mm diameter) allows easy filling, emptying and cleaning
- undetachable, sealable wide-mouth screw cap
- useful as settling bottle
- with gripping surface on the base for secure handling
- with additional, small spout (diameter 18 mm) and spout nozzle
- resistant to greases, resins, alkalis, oils and acids
- UV protection for long life
- opening sealed with screw plug for screwing in spigots and corner valves (wide thread 22 mm)
- on request: Custom-made product without screw plug opening, print, labelling, individual scales and colours possible
- food-safe, resistant to temperature: -20°C to +70°C and free from bisphenol A (BPA)
- w = inside diameter of filling opening = 88 (18) mm / a = outside thread diameter = 105 (24) mm
- t = depth = 132 mm b = width = 264 mm (277 mm with lid) h = height = 426 mm (435 mm with lid)
- Successor article of Art.-No. 818100 with new dimensions

Information:

Article

Articlenumber	818110
GTIN	4007228818116
Customs tariff	39233090
Packaging Unit (PU)	5

Colour	natural
Volume in l	11
Weight (kg)	0,91
T x B x H (mm)	132 x 277 x 435

Outer packaging

Content in pieces	5
L x B x H (mm)	518 x 335 x 680

Gross weight unit (kg)	5,16
EAN Verpackungseinheit	4007228412147

Pallet

Number of boxes	15
Number of layers	3
L x B x H (m)	1,20 x 0,80 x 2,19

Carton per layer	5
Gross Weight Palette (kg)	97,40
Artikel pro Palette	75

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: hfu@nt-rt.ru || сайт: <https://hunersdorff.nt-rt.ru/>