

Бутыли для хранения с мерной шкалой

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: hfu@nt-rt.ru || сайт: <https://hunersdorff.nt-rt.ru/>



Balloon/storage container 5 L with scale

with UV protection, natural-coloured



Description:

- Carboys 5 litres, with blue scale, natural-coloured, extra-thick walls, made of fracture-proof polyethylene
- large opening (50 mm diameter) allows easy filling, emptying and cleaning
 - captive screw cap
 - useful as settling bottle
 - resistant to greases, resins, alkalis, oils and acids
 - UV protection for long life
 - opening sealed with screw plug for screwing in spigots and corner valves (wide thread 22 mm)
 - on request: Custom-made product without screw plug opening, print, labelling, individual scales and colours possible
 - separate accessories: Spigots (art. no. 550100 + 560100), corner valves (art. no. 520100 + 520700)
 - Replacement parts: Carrying handle, screw cap (diameter 65 mm) and plug set consisting of screw caps and 2 seals
 - food-safe, resistant to temperature: -20°C to +70°C and free from bisphenol A (BPA)
 - w = inside diameter of filling opening = 50 mm / a = outside thread diameter = 65 mm
 - Diameter d=167 mm / height h=348 mm

Information:

Article

Articlenumber	823310	Colour	natural
GTIN	4007228823318	Volume in l	5
Customs tariff	39233090	Weight (kg)	0,57
Packaging Unit (PU)	5	T x B x H (mm)	167 x 167 x 348

Outer packaging

Content in pieces	5	Gross weight unit (kg)	3,25
L x B x H (mm)	445 x 320 x 475	EAN Verpackungseinheit	4007228712162

Pallet

Number of boxes	24	Carton per layer	6
Number of layers	4	Gross Weight Palette (kg)	98,00
L x B x H (m)	1,20 x 0,80 x 2,05	Artikel pro Palette	120

Balloon/storage container 10 L with scale with UV protection, natural-coloured



Description:

Carboys 10 litres, with blue scale, natural-coloured, extra-thick walls, made of fracture-proof polyethylene

- large opening (50 mm diameter) allows easy filling, emptying and cleaning
- captive screw cap
- useful as settling bottle
- resistant to greases, resins, alkalis, oils and acids
- UV protection for long life
- opening sealed with screw plug for screwing in spigots and corner valves (wide thread 22 mm)
- on request: Custom-made product without screw plug opening, print, labelling, individual scales and colours possible
- separate accessories: Spigots (art. no. 550100 + 560100), corner valves (art. no. 520100 + 520700)
- Replacement parts: Carrying handle, screw cap (diameter 65 mm) and plug set consisting of screw caps and 2 seals
- food-safe, resistant to temperature: -20°C to +70°C and free from bisphenol A (BPA)
- w = inside diameter of filling opening = 50 mm / a = outside thread diameter = 65 mm
- Diameter d=210 mm / height h=427 mm

Information:

Article

Articlenumber	823410	Colour	natural
GTIN	4007228823417	Volume in l	10
Customs tariff	39233090	Weight (kg)	0,88
Packaging Unit (PU)	4	T x B x H (mm)	210 x 210 x 427



Outer packaging

Content in pieces	4	Gross weight unit (kg)	4,12
L x B x H (mm)	530 x 395 x 545	EAN Verpackungseinheit	4007228679786

Pallet

Number of boxes	16	Carton per layer	4
Number of layers	4	Gross Weight Palette (kg)	85,92
L x B x H (m)	1,20 x 0,80 x 2,33	Artikel pro Palette	64

Balloon/storage container 25 L with scale with UV protection, natural-coloured



Description:

Carboys 25 litres, with blue scale, natural-coloured, extra-thick walls, made of fracture-proof polyethylene

- large opening (50 mm diameter) allows easy filling, emptying and cleaning
- captive screw cap
- useful as settling bottle
- resistant to greases, resins, alkalis, oils and acids
- UV protection for long life
- opening sealed with screw plug for screwing in spigots and corner valves (wide thread 22 mm)
- on request: Custom-made product without screw plug opening, print, labelling, individual scales and colours possible
- separate accessories: Spigots (art. no. 550100 + 560100), corner valves (art. no. 520100 + 520700)
- Replacement parts: Carrying handle, screw cap (diameter 65 mm) and plug set consisting of screw caps and 2 seals
- food-safe, resistant to temperature: -20°C to +70°C and free from bisphenol A (BPA)
- w = inside diameter of filling opening = 50 mm / a = outside thread diameter = 65 mm
- Diameter d=275 mm / height h=580 mm

Information:

Article

Articlenumber	823510
GTIN	4007228823516
Customs tariff	39233090
Packaging Unit (PU)	2

Colour	natural
Volume in l	25
Weight (kg)	1,78
T x B x H (mm)	275 x 275 x 580

Outer packaging

Content in pieces	2
L x B x H (mm)	518 x 335 x 680


Gross weight unit (kg)	4,17
EAN Verpackungseinheit	4007228488432

Pallet

Number of boxes	15
Number of layers	3
L x B x H (m)	1,20 x 0,80 x 2,19

Carton per layer	5
Gross Weight Palette (kg)	82,55
Artikel pro Palette	30

Balloon/storage container 60 L with scale with UV protection, natural-coloured



Description:

Carboys 60 litres, with blue scale, natural-coloured, extra-thick walls, made of fracture-proof polyethylene

- large opening (50 mm diameter) allows easy filling, emptying and cleaning
- captive screw cap
- useful as settling bottle
- resistant to greases, resins, alkalis, oils and acids
- UV protection for long life
- opening sealed with screw plug for screwing in spigots and corner valves (wide thread 22 mm)
- on request: Custom-made product without screw plug opening, print, labelling, individual scales and colours possible
- separate accessories: Spigots (art. no. 550100 + 560100), corner valves (art. no. 520100 + 520700)
- Replacement parts: Carrying handle, screw cap (diameter 65 mm) and plug set consisting of screw caps and 2 seals
- food-safe, resistant to temperature: -20°C to +70°C and free from bisphenol A (BPA)
- w = inside diameter of filling opening = 50 mm / a = outside thread diameter = 65 mm
- Diameter d=350 mm / height h=830 mm

Information:

Article

Articlenumber	823610
GTIN	4007228823615
Customs tariff	39233090
Packaging Unit (PU)	1

Colour	natural
Volume in l	60
Weight (kg)	2,71
T x B x H (mm)	350 x 350 x 830

Outer packaging

Content in pieces	1
L x B x H (mm)	1180 x 780 x 1065

Gross weight unit (kg)	2,71
EAN Verpackungseinheit	4007228741049

Pallet

Number of boxes	2
Number of layers	2
L x B x H (m)	1,20 x 0,80 x 2,28

Carton per layer	1
Gross Weight Palette (kg)	57,94
Artikel pro Palette	14

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: hfu@nt-rt.ru || сайт: <https://hunersdorff.nt-rt.ru/>